Montana Board of Oil and Gas Conservation <u>Environmental Assessment</u>

Operator: Continental Resources, Inc.
Well Name/Number: _Zent 14-11SH
Location: S/2 S/2 Section 11 T6N R61E
County: Fallon , MT; Field (or Wildcat) West Cedar Hills Unit
· · · · · · · · · · · · · · · · · · ·
Air Quality
(possible concerns)
Long drilling time: No, 30 to 35 days drilling time.
Unusually deep drilling (high horsepower rig): Yes, triple derrick, 1000 HP drilling rig to
go 17,018'MD/8815'TVD. Possible H2S are production: Vec possible H2S are production
Possible H2S gas production: Yes, possible H2S gas production. In/near Class I air quality area: No class I air quality area.
Air quality permit for flaring/venting (if productive): Yes, DEQ air quality permit required
under 75-2-211.
Mitigation:
X Air quality permit (AQB review)
X Gas plants/pipelines available for sour gas
Special equipment/procedures requirements
Other:
Comments: No special concerns – using triple rig to drill to
17,018'MD/8815'TVD.

Water Quality
(possible concerns)
Salt/oil based mud: Yes, freshwater and freshwater mud system on surface hole and oil
based mud system on main hole and brine water for horizontal lateral.
High water table: No high water table anticipated
Surface drainage leads to live water:No, location is about, 1/4 of a mile southeast of
Coral Creek at its closest point.
Water well contamination: No, closest stock water well is about 3/8 of a mile to the
northwest of this location and is only 24' in depth. Topographic map indicates a flowing
well about 1 1/8 miles to the northwest of this location. Flowing well does not show up
on GWIC website. Surface hole will be drilled with freshwater and freshwater mud. Surface casing will be cemented to surface from 1440'.
Porous/permeable soils: No, sandy clay soils.
Class I stream drainage: No Class I stream drainages in the area of review.
Mitigation:
X Lined reserve pit
X Adequate surface casing
Berms/dykes, re-routed drainage
Closed mud system
Off-site disposal of solids/liquids (in approved facility)
Other:
Comments: 1440' of surface casing cemented to surface adequate to protect
freshwater zones.

Soils/Vegetation/Land Use

(possible concerns)
Steam crossings: No, stream crossing required.
High erosion potential: No, small cut, up to 3.3' and small fill, up to 0.4', required.
Loss of soil productivity: No, location will be restored after drilling, if nonproductive. If
productive unused portion of drillsite will be reclaimed
Unusually large wellsite: <u>Large wellsite</u> , <u>370'X400' location size required</u> .
Damage to improvements: Slight, surface use is grass land.
Conflict with existing land use/values:Slight
Mitigation
Avoid improvements (topographic tolerance)
Exception location requested
X Stockpile topsoil
Stream Crossing Permit (other agency review)
X Reclaim unused part of wellsite if productive
Special construction methods to enhance reclamation
X Other: Requires DEQ General Permit for Storm Water Discharge Associated
with Construction Activity, under ARM 17.30.1102(28).
Comments: Access will use existing county road and existing ranch trail. Existing
access trail will be upgrade for heavy truck use from the county road into this location.
A lined reserve pit will be used to hold drill cuttings and excess drilling fluids. Oil based
invert drilling fluids will be recycled after the well in finished drilling. Free liquids in the
reserve pit will be trucked to a Class II Disposal. Cuttings will be allowed to dry in the
reserve pit, after drying the cuttings will be buried in the lined reserve pit. No special
concerns.
Health Hazards/Noise
(possible concerns)
(possible concerns) Proximity to public facilities/residences: None within 1 mile of this location.
(possible concerns) Proximity to public facilities/residences: None within 1 mile of this location. Possibility of H2S: Yes, H2S possible.
(possible concerns) Proximity to public facilities/residences: None within 1 mile of this location. Possibility of H2S: Yes, H2S possible. Size of rig/length of drilling time: Triple drilling rig 30 to 35 days drilling time.
(possible concerns) Proximity to public facilities/residences: None within 1 mile of this location. Possibility of H2S: Yes, H2S possible. Size of rig/length of drilling time: Triple drilling rig 30 to 35 days drilling time. Mitigation:
(possible concerns) Proximity to public facilities/residences: None within 1 mile of this location. Possibility of H2S: Yes, H2S possible. Size of rig/length of drilling time: Triple drilling rig 30 to 35 days drilling time. Mitigation: X Proper BOP equipment
(possible concerns) Proximity to public facilities/residences: None within 1 mile of this location. Possibility of H2S: Yes, H2S possible. Size of rig/length of drilling time: Triple drilling rig 30 to 35 days drilling time. Mitigation: _X Proper BOP equipment _ Topographic sound barriers
(possible concerns) Proximity to public facilities/residences: None within 1 mile of this location. Possibility of H2S: Yes, H2S possible. Size of rig/length of drilling time: Triple drilling rig 30 to 35 days drilling time. Mitigation: _X Proper BOP equipment _ Topographic sound barriers _ H2S contingency and/or evacuation plan
(possible concerns) Proximity to public facilities/residences: None within 1 mile of this location. Possibility of H2S: Yes, H2S possible. Size of rig/length of drilling time: Triple drilling rig 30 to 35 days drilling time. Mitigation: _X Proper BOP equipment _ Topographic sound barriers _ H2S contingency and/or evacuation plan _ Special equipment/procedures requirements
(possible concerns) Proximity to public facilities/residences: None within 1 mile of this location. Possibility of H2S: Yes, H2S possible. Size of rig/length of drilling time: Triple drilling rig 30 to 35 days drilling time. Mitigation: _X Proper BOP equipment _ Topographic sound barriers _ H2S contingency and/or evacuation plan _ Special equipment/procedures requirements _ Other:
(possible concerns) Proximity to public facilities/residences: None within 1 mile of this location. Possibility of H2S: Yes, H2S possible. Size of rig/length of drilling time: Triple drilling rig 30 to 35 days drilling time. Mitigation: _X Proper BOP equipment _ Topographic sound barriers _ H2S contingency and/or evacuation plan _ Special equipment/procedures requirements _ Other: _ Comments: Adequate surface casing and operational BOP should mitigate any
(possible concerns) Proximity to public facilities/residences: None within 1 mile of this location. Possibility of H2S: Yes, H2S possible. Size of rig/length of drilling time: Triple drilling rig 30 to 35 days drilling time. Mitigation: _X Proper BOP equipment _ Topographic sound barriers _ H2S contingency and/or evacuation plan _ Special equipment/procedures requirements _ Other:
(possible concerns) Proximity to public facilities/residences: None within 1 mile of this location. Possibility of H2S: Yes, H2S possible. Size of rig/length of drilling time: Triple drilling rig 30 to 35 days drilling time. Mitigation: _X Proper BOP equipment _ Topographic sound barriers _ H2S contingency and/or evacuation plan _ Special equipment/procedures requirements _ Other: _ Comments: Adequate surface casing and operational BOP should mitigate any problems. No concerns
(possible concerns) Proximity to public facilities/residences: None within 1 mile of this location. Possibility of H2S: Yes, H2S possible. Size of rig/length of drilling time: Triple drilling rig 30 to 35 days drilling time. Mitigation: _X Proper BOP equipment _ Topographic sound barriers _ H2S contingency and/or evacuation plan _ Special equipment/procedures requirements _ Other: _ Comments: Adequate surface casing and operational BOP should mitigate any problems. No concerns Wildlife/recreation
(possible concerns) Proximity to public facilities/residences: None within 1 mile of this location. Possibility of H2S: Yes, H2S possible. Size of rig/length of drilling time: Triple drilling rig 30 to 35 days drilling time. Mitigation:
(possible concerns) Proximity to public facilities/residences: None within 1 mile of this location. Possibility of H2S: Yes, H2S possible. Size of rig/length of drilling time: Triple drilling rig 30 to 35 days drilling time. Mitigation: X Proper BOP equipment Topographic sound barriers H2S contingency and/or evacuation plan Special equipment/procedures requirements Other: Comments: Adequate surface casing and operational BOP should mitigate any problems. No concerns Wildlife/recreation (possible concerns) Proximity to sensitive wildlife areas (DFWP identified): None identified
(possible concerns) Proximity to public facilities/residences: None within 1 mile of this location. Possibility of H2S: Yes, H2S possible. Size of rig/length of drilling time: Triple drilling rig 30 to 35 days drilling time. Mitigation: _X Proper BOP equipment _ Topographic sound barriers _ H2S contingency and/or evacuation plan _ Special equipment/procedures requirements _ Other: Comments: Adequate surface casing and operational BOP should mitigate any problems. No concerns Wildlife/recreation (possible concerns) Proximity to sensitive wildlife areas (DFWP identified): None identified. Proximity to recreation sites: Little Missouri National Grassland is about 661' east of
(possible concerns) Proximity to public facilities/residences: None within 1 mile of this location. Possibility of H2S: Yes, H2S possible. Size of rig/length of drilling time: Triple drilling rig 30 to 35 days drilling time. Mitigation: _X Proper BOP equipment _ Topographic sound barriers _ H2S contingency and/or evacuation plan _ Special equipment/procedures requirements _ Other: Comments: Adequate surface casing and operational BOP should mitigate any problems. No concerns Wildlife/recreation (possible concerns) Proximity to sensitive wildlife areas (DFWP identified): None identified. Proximity to recreation sites: Little Missouri National Grassland is about 661' east of this location across the state line in North Dakota.
(possible concerns) Proximity to public facilities/residences: None within 1 mile of this location. Possibility of H2S: Yes, H2S possible. Size of rig/length of drilling time: Triple drilling rig 30 to 35 days drilling time. Mitigation: _X Proper BOP equipment _ Topographic sound barriers _ H2S contingency and/or evacuation plan _ Special equipment/procedures requirements _ Other: _ Comments: Adequate surface casing and operational BOP should mitigate any problems. No concerns Wildlife/recreation (possible concerns) Proximity to sensitive wildlife areas (DFWP identified): None identified. Proximity to recreation sites: Little Missouri National Grassland is about 661' east of this location across the state line in North Dakota. Creation of new access to wildlife habitat: No
(possible concerns) Proximity to public facilities/residences: None within 1 mile of this location. Possibility of H2S: Yes, H2S possible. Size of rig/length of drilling time: Triple drilling rig 30 to 35 days drilling time. Mitigation: _X Proper BOP equipment _ Topographic sound barriers _ H2S contingency and/or evacuation plan _ Special equipment/procedures requirements _ Other: _ Comments: Adequate surface casing and operational BOP should mitigate any problems. No concerns Wildlife/recreation (possible concerns) Proximity to sensitive wildlife areas (DFWP identified): None identified. Proximity to recreation sites: Little Missouri National Grassland is about 661' east of this location across the state line in North Dakota. Creation of new access to wildlife habitat: No Conflict with game range/refuge management: No
(possible concerns) Proximity to public facilities/residences: None within 1 mile of this location. Possibility of H2S: Yes, H2S possible. Size of rig/length of drilling time: Triple drilling rig 30 to 35 days drilling time. Mitigation: _X Proper BOP equipment _ Topographic sound barriers _ H2S contingency and/or evacuation plan _ Special equipment/procedures requirements _ Other: _ Comments: Adequate surface casing and operational BOP should mitigate any problems. No concerns Wildlife/recreation (possible concerns) Proximity to sensitive wildlife areas (DFWP identified): None identified. Proximity to recreation sites: Little Missouri National Grassland is about 661' east of this location across the state line in North Dakota. Creation of new access to wildlife habitat: No

Mitigation: Avoidance (topographic tolerance/exception)
Other agency review (DFWP, federal agencies, DSL)
Screening/fencing of pits, drillsiteX Other: <u>Based upon information e-mailed from Windy Davis closest leck is</u>
about 1.75 miles away
Comments: Private surface lands. No concerns.
Historical/Cultural/Paleontological
(possible concerns)
Proximity to known sites None identified.
Mitigation avoidance (topographic tolerance, location exception)
other agency review (SHPO, DSL, federal agencies)
Other:
Comments: On private surface lands. No concerns.
Sasial/Economia
Social/Economic (possible concerns)
Substantial effect on tax base
Create demand for new governmental services
Population increase or relocation
Comments: No concerns
Demonto or Special Conserve for this site
Remarks or Special Concerns for this site
Well is a 17,018'MD/8815'TVD Red River Formation test.
Summary: Evaluation of Impacts and Cumulative effects
No long term impacts expected. Some short term surface impacts will occur.
Legardude that the approval of the authorst Nation of Intent to Drill (does/does/does/does/does/does/does/does/
I conclude that the approval of the subject Notice of Intent to Drill (does/ <u>does not</u>) constitute a major action of state government significantly affecting the quality of the
human environment, and (does/ <u>does not</u>) require the preparation of an environmental
impact statement.
Propagod by (ROCC): /c/ Stoyon Sacoki
Prepared by (BOGC): <u>/s/ Steven Sasaki</u>

(title:) Chief Field Inspector
Date: May 24, 2010
Other Persons Contacted:
Montana Bureau of Mines and Geology, GWIC
website (Name and Agency)
_Fallon County water wells
(subject discussed)
_May 21, 2010
(date)
US Fish and Wildlife, Region 6 website
(Name and Agency)
ENDANGERED, THREATENED, PROPOSED AND CANDIDATE SPECIES MONTANA
COUNTIES, Fallon County
(subject discussed)
_May 21, 2010
(date)
Ms. Windy Davis, Montana FWP
(Name and Agency) Greater Sage Grouse Lecks in Fergus County, Montana
(subject discussed)
May 21, 2010
(date)
If location was inspected before permit approval:
Inspection date: _5/23/10
Inspector: Hystad
Others present during inspection: None